L Number	Hits	Search Text	DB	Time stamp
1	1011	713/202.ccls.	USPAT;	2004/10/17 17:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		200/076	IBM_TDB	0004/40/45 45 00
2	58	380/276.ccls.	USPAT;	2004/10/17 17:20
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	195	380/281.ccls.	USPAT;	2004/10/17 17:20
	133		US-PGPUB;	2004/10/1/ 1/.20
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	9
 	26374	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:16
		(mechanism policy method procedure	US-PGPUB;	
		technique operation process)	EPO; JPO;	
			DERWENT;	
	1564		IBM_TDB	0004404040
-	1564	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:14
		(mechanism policy method procedure	US-PGPUB;	
		technique operation process) with (choice choos\$3 alternative select\$3 option) and	EPO; JPO; DERWENT;	
		access\$3	IBM TDB	
_	13324	(security near3 idenfit\$6) SID	USPAT;	2004/10/16 00:34
	1	(Security moure ruemings, Size	US-PGPUB;	2001/10/10 00:51
			EPO; JPO;	
		_	DERWENT;	
		·	IBM_TDB	
_	16	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 00:36
		(mechanism policy method procedure	US-PGPUB;	
	į	technique operation process) with (choice	EPO; JPO;	
	İ	choos\$3 alternative select\$3 option) and	DERWENT;	
		access\$3) and ((\$2crypt\$3 encod\$3	IBM_TDB	
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((security near3 idenfit\$6)		
		SID)		
_	1020	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 00:36
		(mechanism policy method procedure	US-PGPUB;	
		technique) with (choice choos\$3	EPO; JPO;	•
		alternative select\$3 option) and access\$3	DERWENT;	
1			IBM_TDB	
_	9	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:10
		(mechanism policy method procedure	US-PGPUB;	
		technique) with (choice choos\$3 alternative select\$3 option) and access\$3	EPO; JPO; DERWENT;	
) and ((\$2crypt\$3 encod\$3 decod\$3) and	IBM TDB	
		(\$2crypt\$3 encod\$3 decod\$3) adj key) and	1011_101	
		((security near3 idenfit\$6) SID)		
-	1956	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 16:38
		(mechanism policy method procedure	US-PGPUB;	
1		technique operation process) with (choice	EPO; JPO;	
1		choos\$3 alternative select\$3 option	DERWENT;	
	507	multiple) and access\$3	IBM_TDB	0004/10/15 15 15
-	607	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 16:18
		(selection)	US-PGPUB;	
			EPO; JPO; DERWENT;	
1		,	IBM TDB	
_	148	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:16
		(mechanism policy method procedure	US-PGPUB;	=====================================
		technique operation process) with (choice	EPO; JPO;	
		choos\$3 alternative select\$3 option	DERWENT;	
1]	multiple) and access\$3) and	IBM_TDB	
		((authenticat\$3 authorizat\$3) near3	-	
	<u></u>	(selection))	<u> </u>	

		, 		
-	32	(((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure	USPAT; US-PGPUB;	2004/10/16 15:17
		technique operation process) with (choice	EPO; JPO;	
		choos\$3 alternative select\$3 option	DERWENT;	
1		multiple) and access\$3) and	IBM_TDB	
		((authenticat\$3 authorizat\$3) near3	_	
		(selection))) and ((\$2crypt\$3 encod\$3		
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	ļ	
_	109	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:35
	105	(selection)) and ((\$2crypt\$3 encod\$3	US-PGPUB;	2004/10/10 15:55
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3)	EPO; JPO;	,
		adj key)	DERWENT;	
			IBM_TDB	
-	77	(((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 16:14
		(selection)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3)	US-PGPUB; EPO; JPO;	
		adj key)) not ((((authenticat\$3	DERWENT;	
		authorizat\$3) near3 (mechanism policy	IBM TDB	
		method procedure technique operation	_	
		process) with (choice choos\$3 alternative		
		select\$3 option multiple) and access\$3)		
		and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3		
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3)		
		adj key))		
-	32	(() = = = = = = = = = = = = = = = = =	USPAT;	2004/10/16 16:19
		(selection)) not ((authenticat\$3	US-PGPUB;	
		authorizat\$3) near2 (selection))) and	EPO; JPO;	
1		((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	DERWENT; IBM TDB	
_	53	((authenticat\$3 authorizat\$3) near2	USPAT;	2004/10/16 16:30
		(select\$3 choice)) not ((authenticat\$3	US-PGPUB;	2001/10/10 10:00
		<pre>authorizat\$3) near3 (select\$3))</pre>	EPO; JPO;	
			DERWENT;	
	, 10	///outhorticate2	IBM_TDB	2004/10/16 16 27
_	10	(((authenticat\$3 authorizat\$3) near2 (select\$3 choice)) not ((authenticat\$3	USPAT; US-PGPUB;	2004/10/16 16:37
		authorizat\$3) near3 (select\$3))) and	EPO; JPO;	
		((\$2crypt\$3 encod\$3 decod\$3) and	DERWENT;	
		(\$2crypt\$3 encod\$3 decod\$3) adj key)	IBM_TDB	
-	6279	(authenticat\$3) adj (mechanism method)	USPAT;	2004/10/17 15:44
		·	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
] -	155	(2nd second plurality multiple another	USPAT;	2004/10/17 15:46
1		many) near3(authenticat\$3) adj (mechanism	US-PGPUB;	
	,	method)	EPO; JPO;	
			DERWENT; IBM TDB	
_	42	((2nd second plurality multiple another	USPAT;	2004/10/17 15:45
		many) near3(authenticat\$3) adj (mechanism	US-PGPUB;	
		method)) and ((authenticat\$3) adj	EPO; JPO;	
1		(mechanism method)) and ((\$2crypt\$3.	DERWENT;	
		encod\$3 decod\$3) and (\$2crypt\$3 encod\$3	IBM_TDB	
	129	decod\$3) adj key) (2nd second plurality multiple another	USPAT;	2004/10/17 15:48
		many) near2 (authenticat\$3) adj (mechanism	US-PGPUB;	2003/10/17 13.40
1		method)	EPO; JPO;	
			DERWENT;	
	1	(0.3	IBM_TDB	0004/10/17 17
-	124	(2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism	USPAT;	2004/10/17 15:48
		method)	US-PGPUB; EPO; JPO;	
	1		DERWENT;	
			IBM TDB	

	27 ((2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 17:19
--	--	---	------------------